

Partner Mail Comparison Chart

Feature/Specification	Partner Mail VS				Partner Mail		Partner Voice Messaging PC Card				Mess. 2000
	R1	R3	R4	R5	R1	R3	R1	R2	R3S	R3L	
SYSTEM CAPACITIES											
# of ports	2	2	2, 4	2, 4	2,4	2,4,6	2	2	2	2	Up to 16
# of mailboxes	10,20	10,20	10,20,40	48	100	100	4	4	2 or 4	4 to 16	90
Configurations (ports x mailboxes)	2x10	2x10	2x10	2x48	2x100	2x100	2x4	2x4	2x4 (max)	2x16 (max)	16x90 (max)
	2x20	2x20	2x20	4x48	4x100	4x100					
			4x20			6x100					
			4x40								
SYSTEM STORAGE (total mins. Avail.):											
2x2=									43		
2x4=							20	40	45	110	
2x6=										112.5	
2x8=										120	
2x10=	110	110	240							112.5	
2x12=										120	
2x14=										105	
2x16=										100	
2x20=	220	220	440								
4x20=			440								
4x40=			840								
2x48=				100 hrs							
4x48=				100 hrs							
All PML PM3 and M2000 configs.					4.5hrs	21hrs					60hrs
AUTOMATED ATTENDANT CAPACITIES:											
Announcements	NO	NO	2	2	100	100	NO	NO	NO	NO	
# of attendants (*=mlbxs can be atndnts)	1	1	1	4	1	3	0	1	1	1	90 max*
Day select codes	YES	YES	YES	YES	YES	YES	NO	YES	YES	YES	YES
Night select codes	NO	NO	NO	NO	YES	YES	NO	NO	NO	NO	YES
Dial 0/Timeout Action/Extension	x10	x10	x10	any ext	any ext	any ext	x10	x10	X10	X10	any
Dial 0/Timeout Delay	5 sec	5 sec.	5 sec.	5 sec.	4 sec.	4 sec.	5 sec	5 sec	5 sec	5 sec	2.5 sec
Languages (*=VS R4.1 has Mandrin)	E	E,F,S	E,F,S*	E,F,S	E	E, F, S	E	E	E	E	E,F,S
Menu length(day,night)	2 min	2 min	4 min	4 min	2 min	2 min	2 min	2 min	2 min	2 min	999sec max
Schedule controller	NO	NO	NO	NO	NO	YES	NO	NO	NO	NO	YES
Security notification	NO	NO	NO	NO	NO	YES	NO	NO	NO	NO	YES
# selector code actions	2	2	3	5	5	5	0	2	2	2	?
Submenus	NO	NO	NO	NO	100	100	NO	NO	NO	NO	YES
Temp Closed Greeting	NO	NO	NO	NO	YES	YES	NO	NO	NO	NO	YES

Partner Mail Comparison Chart

Feature/Specification	Partner Mail VS				Partner Mail		Partner Voice Messaging PC Card				Mess. 2000
	R1	R3	R4	R5	R1	R3	R1	R2	R3S	R3L	
MAILBOX CAPACITIES:											
Greeting length	2 min	2 min	4 min	4 min	2 min	COS	1 min	1 min	1.25 min	1.25 min	0-999sec
Message length	2 min	2 min	4 min	2-60 min	COS	COS	2 min	2 min	2 min	2 min	0-6000sec
Name length	none	none	none	none	4 sec	4 sec	none	none	none	none	0-999sec
Password length	4	4	4	4	4	0-15	4	4	4	4	0-11
Storage- extension 10 time:	30 min	30 min	60 min	5-180	COS	COS	5 min	10 min	21.5max	27.5max	0-6000
Storage- extension 10 max# of msgs:	120	120	120	120	COS	COS	30	30	30	30	1000max
Storage- other extensions, time:	10 min	10 min	20 min	5-180	COS	COS	5 min	10 min	21.5max	27.5max	0-6000sec
Storage- other extensions, max# of msgs):	40	40	40	120	COS	COS	30	30	30	30	1000max
OTHER MAILBOX SPECIFICATIONS:											
Admin. mailbox # (*=can be changed)	99	99	99	99	9997*	9997*	0	0	0	0	N/A
Broadcast message	NO	NO	NO	NO	YES	YES	NO	NO	NO	NO	YES
Bulletin board mailbox	NO	NO	NO	NO	NO	YES	NO	NO	NO	NO	YES
Greeting Only mailbox (no message rec.)	NO	NO	NO	NO	NO	YES	NO	NO	YES	YES	YES
Send messg. to 1 or more subscribers	NO	NO	NO	YES	YES	YES	NO	NO	NO	NO	YES
Directory (*2)	NO	NO	NO	NO	YES	YES	NO	NO	NO	NO	YES
Fax ID/Fax Receiver	NO ²	NO ²	NO ²	NO ²	YES	YES	NO	NO ²	NO ²	NO ²	YES
Forward message	NO	NO	YES	YES	YES	YES	NO	NO	NO	NO	YES
General Mailbox #	10	10	10	10	9999	9991-9993	none	none	none	none	N/A
Hunt/Call Group Mailbox	NO	NO	NO	NO	NO	YES	NO	NO	NO	NO	YES
Outcalling	NO	NO	YES	YES	YES	YES	NO	NO	NO	NO	YES
Outcalling # entries			1	5	1	5					8
Outcalling max.digits			60	60	29	60					29
Outcalling attempts			3	1 to 9	5	1 to 9					unlim.
Outcalling cycle			15 min	5-99 min	30 min	5-99 min					unlim.
Outcalling schedule			YES	YES	NO	YES					YES
Outcalling #ports=ports used			2=1st 4=3rd	2=1st 4=3rd	2=2nd 4=4th	2=2nd 4=4th 6=5 , 6					1-16/all
Pause while listening to message	NO	NO	NO	YES	YES	YES	NO	NO	NO	NO	YES
Rewind, Fast Forward, Skip message	NO	NO	NO	YES	YES	YES	NO	NO	YES	YES	YES
Personal operator	NO	NO	NO	YES	YES	YES	NO	NO	NO	NO	YES
Fax On Demand	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	YES

Partner Mail Comparison Chart

Feature/Specification	Partner Mail VS				Partner Mail		Partner Voice Messaging PC Card				Mess. 2000
	R1	R3	R4	R5	R1	R3	R1	R2	R3S	R3L	
COMPATIBILITY:											
Partner Plus R3.1	YES	YES	YES	YES	YES	YES	NO	NO	NO	NO	YES
Partner Plus R4.0	YES	YES	YES	YES	YES	YES	NO	NO	NO	NO	YES
Partner Plus R4.1	YES	YES	YES	YES	YES	YES	NO	NO	NO	NO	YES
Partner II R3.0	NO ¹	NO ¹	NO ¹	NO ¹	YES	YES	NO	NO	NO	NO	YES
Partner II R3.1	YES	YES	YES	YES	YES	YES	NO	NO	NO	NO	YES
Partner II R4.0	YES	YES	YES	YES	YES	YES	NO	NO	NO	NO	YES
Partner II R4.1	YES	YES	YES	YES	YES	YES	NO	NO	NO	NO	YES
Partner Endeavor R1	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Partner Endeavor R2	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Partner ACS R1.0	YES	YES	YES	YES	YES	YES	NO	NO	NO	NO	YES
Partner ACS R1.1	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Partner ACS R2.0	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Partner ACS R3.0	YES	YES	YES	YES	YES	YES	NO	YES	YES	YES	YES
¹ Messages will not be time-stamped											
² Can have Fax ID/Receiver if using PC3 and Hunt Group 8											